

安装php56

CentOS 7使用yum安装PHP5.6

删除旧php包

```
yum remove php.x86_64 php-cli.x86_64 php-common.x86_64 php-gd.x86_64 php-ldap.x86_64 php-mbstring.x86_64 php-mcrypt.x86_64 php-mysql.x86_64 php-pdo.x86_64
```

配置epel源

```
yum install -y epel-release  
wget -O /etc/yum.repos.d/epel.repo  
http://mirrors.aliyun.com/repo/epel-6.repo
```

配置remi源

```
rpm -ivh http://rpms.famillecollet.com/enterprise/remi-release-6.rpm
```

安装php5.6.x

```
yum install --enablerepo=remi --enablerepo=remi-php56 php php-opcache php-devel php-mbstring php-mcrypt php-mysqlnd php-phpunit-PHPUnit php-pecl-xdebug php-pecl-xhprof
```

安装php-fpm

```
yum install --enablerepo=remi --enablerepo=remi-php56 php-fpm
```

配置开机启动服务

```
centos6:  
#设置php-fpm开机启动  
chkconfig php-fpm on  
#启动php-fpm  
/etc/init.d/php-fpm start
```

查看是否安装成功

```
ps -ef | grep php  
netstat -anp | grep 9000
```